





# TREK PRIME™ 2.0 CART

## ASSEMBLY GUIDE



PLEASE READ AND FOLLOW ALL ASSEMBLY INSTRUCTIONS, SAFETY INFORMATION, AND OPERATING INSTRUCTIONS OF YOUR OWNER'S MANUAL BEFORE INITIAL START UP.

# GRILL PARTS LIST



PART	DESCRIPTION
1	CART Body
2	Front Shelf Brackets
3	Front Shelf
4	Side Shelf
5	Locking Caster Legs
6	Leg Panel
7	Bottom Shelf
8	Stationary Legs



Cart Assembly Bolt M6x20mm



Front Shelf Phillips Screw

## TREK ASSEMBLY

Follow instructions in TREK Assembly Guide.

*Grill sold separately*



## TOOLS NEEDED



Grill Socket Wrench

10mm 12mm

Phillips-Head Screwdriver

*(Not included)*



# ASSEMBLY

## PLEASE READ AND FOLLOW ALL INSTRUCTIONS CAREFULLY

**CAUTION!** The grill is heavy. Be careful when lifting.

### 2 FLIP BASE & INSTALL LEGS



Install legs as shown.  
Stationary legs towards side shelf.  
🔩 x4 per leg.

### 2 INSTALL BOTTOM SHELF




Secure bottom shelf to inside of legs.  
🔩 x4.

### 4 FRONT SHELF BRACKETS



Flip cart right side up and attach front shelf brackets to base.  
🔩 x4

### 4 FRONT SHELF



Secure front shelf to front shelf brackets using a Phillips-Head screwdriver. 🔩 x4

### 5 INSERT GRILL



Align grill legs with base leg slots.

### 6 SIDE SHELF



Flip side shelf up and slide into base side slots to secure in place.

### 7 SECURE GRILL



Secure base to grill.  
🔩 x4

### 8 GREASE BUCKET



Hang grease bucket on drip spout.

### 9 BOTTOM SHELF PANEL



Secure bottom shelf panel to front legs. 🔩 x4

## **YOUR CART IS READY!**

---

### **PLEASE READ THE SAFETY INFORMATION AND OPERATING INSTRUCTIONS IN YOUR MANUAL BEFORE OPERATING.**

WHEN ATTACHING OR DETACHING THE GRILL UNIT FROM THE CART UNIT, CARE MUST BE TAKEN TO AVOID PINCHING HANDS OR FINGERS BETWEEN THE GRILL AND THE CART.

THE GRILL MUST NOT BE EITHER REMOVED FROM THE CART OR ATTACHED TO THE CART WHILE OPERATING, OR WHILE STILL HOT. WHEN THE GRILL IS DETACHED FROM THE CART AND IN USE, IT MUST BE PLACED ON A NONCOMBUSTIBLE SURFACE WHILE BEING OPERATED, SUCH AS CONCRETE, METAL, GRAVEL, BARE GROUND, OR ON A THERMAL BARRIER DESIGNED FOR SUCH USE.

THE CART UNIT MAY ALSO BECOME HOT DURING OPERATION, SO CARE MUST BE TAKEN WHEN TOUCHING PARTS OF THE CART TO AVOID BURNS OR OTHER INJURIES.

